
Epiphan Pearl Nexus™





Capture with confidence, every time

Nexus delivers a superior, automated video capture experience for any classroom, courtroom, or presentation space. Record, enhance, and stream your video with best-in-class reliability and powerful creative tools. The included 1 TB SSD drive, robust CMS integrations, and automated file management ensure all content gets safely recorded and delivered exactly where it needs to go.

Key benefits

Plays nice with everything

Designed with flexibility in mind, Nexus fits at the center of video workflows, seamlessly integrated with all of the hardware and software used in professional AV environments.

Automated recording and streaming, for peace of mind


Never miss a recording or a live stream with fully automated video spaces. Nexus's powerful suite of automation and redundancy tools ensure your video always gets where it needs to go.

Easy to manage at scale

Managing hundreds of devices from a centralized hub has never been easier. Epiphan's cloud based fleet management platform give you faster device deployment, easy maintenance, and guaranteed uptime.

Creative freedom

Let your content shine with easy to use design tools for custom layouts, branding, graphics, and more.







Technical specifications

Integrations

	2 × HDMI 1 × 3G SDI 2 × USB	Content Management Systems (CMS)					
Video inputs		4	y YuJa	🔹 Pan	opto	🔆 kaltura	
Audioinputs	2 × XLR/TRS 1 × 3.5mm 1 × RCA (stereo pair)		Room automation				
Networked inputs	SRT NDI HX RTSP	C	CSC Extron.		°on.	CRESTRON	
Videooutputs	1 × HDMI		Content Delivery Networks (CDN)				
Resolution support	Up to 1080p (Full HD)		YouTube		IVE		
Power	DC						
Storage	1 TB SSD		Videoconferencing				
Dimensions (W×D×H)	19" × 7.5" × 1.75" (465 mm × 184 mm × 43 mm) Rackmount brackets installed, rubber feet removed		र्ष	j	zoo	m	
Weight	5.3 lbs (2.4 kg)						

www.epiphan.com

info@epiphan.com +1(877)599-6581 +1(650)644-4684 [™] and © 2024 Epiphan Systems Inc. Epiphan, Epiphan Video, Epiphan Systems, its products names and logos are tradenames or trademarks of Epiphan Systems Inc. All other company, interface and product names and logos are trademarks or registered trademarks of their respective owners in certain countries. Product descriptions and specifications regarding the products in this document are subject to change without notice.